

# 名古屋大学博物館報告 No. 36

## 目 次

名古屋大学博物館の SEM-EDX による 含水鉱物化学組成の定量分析 .....	東田 和弘 ... 1
長野県木曾町（旧開田村）管沢遺跡出土資料の報告 .....	須賀 永帰 ... 11
Geochemistry of the basaltic blocks in the Jurassic and Cretaceous accretionary complexes in the Yoshino area, central Kii Peninsula, Southwest Japan .....	Bayart NADMID, Kazuhiro TSUKADA, and Makoto TAKEUCHI ... 35
The magmatic relationship between the “Kurotani ultra-mafic rock” and the Ordovician(?) Iwatsubodani Formation, Takayama City, Hida Gaien belt, central Japan: the chemical composition of clinopyroxene .....	Kazuhiro TSUKADA, Yusuke SHIMURA, and Bayart NADMID ... 53

名古屋大学博物館報告は名古屋大学博物館のウェブサイトからダウンロードできます  
(<http://www.num.nagoya-u.ac.jp/media/report/index.html>)

## Bulletin of the Nagoya University Museum No. 36

### Contents

- Quantitative analysis of chemical composition of hydrous silicate minerals  
using SEM-EDX installed at Nagoya University Museum  
.....TSUKADA Kazuhiro ..... 1
- Report of Archaeological Remains from Kudasawa site, Kiso Town,  
Nagano Prefecture  
.....SUGA Eiki ..... 11
- Geochemistry of the basaltic blocks in the Jurassic and Cretaceous accretionary  
complexes in the Yoshino area, central Kii Peninsula, Southwest Japan  
.....Bayart NADMID, Kazuhiro TSUKADA, and Makoto TAKEUCHI ..... 35
- The magmatic relationship between the “Kurotani ultra-mafic rock” and  
the Ordovician(?) Iwatsubodani Formation, Takayama City, Hida Gaiken belt,  
central Japan: the chemical composition of clinopyroxene  
.....Kazuhiro TSUKADA, Yusuke SHIMURA, and Bayart NADMID ..... 53

Articles in Bulletin of the Nagoya University Museum are available from the a website of  
the Nagoya University Museum  
(<http://www.num.nagoya-u.ac.jp/media/report/index.html>).